Cancer

Lack of appetite and attendant weight loss are symptoms commonly experienced by those diagnosed with cancer. ^{1, 2} Cannabis has long been associated with stimulating appetite, ³ and pre-clinical studies show a correspondence between cannabis application and improvements in appetite, along with modest weight gain in some cancer patients. ^{4, 5, 6}

Cannabis has been shown to be an effective analgesic and its use can be combined with opioids without significantly altering plasma opioid levels.^{7,8}

Perhaps most interesting, a body of evidence is building indicating a correlation between application of cannabis and the inhibition of tumour growth.^{9, 10, 11} One study has indicated THC and CBD work together to slow tumour growth more effectively than when they are applied individually.¹²

"Those treated with both irradiation and the cannabinoids saw the most beneficial results and a drastic reduction in size. In some cases, the tumours effectively disappeared in the animals." 11

-Dr. Wai Liu et al.

"Delta(9)-THC and cannabidiol acted synergistically to inhibit cell proliferation. The treatment of glioblastoma cells with both compounds led to significant modulations of the cell cycle and induction of reactive oxygen species and apoptosis as well as specific modulations of extracellular signal-regulated kinase and caspase activities." 12

- J. P. Marcu et al.

"Delta(9)-tetrahydrocannabinol inhibited tumour-cell proliferation in vitro and decreased tumour-cell Ki67 immunostaining when administered to two patients." 13

- M. Guzmán et al.

- Tchekmedyian, N. S., Zahyna, D., Halpert, C., and Heber, D. Clinical aspects of nutrition in advanced cancer. Oncology 1992 49 Suppl 2:3-7.
- 2. Walsh, D., Donnelly, S., and Rybicki, L. The symptoms of advanced cancer: relationship to age, gender, and performance status in 1,000 patients. Support Care Cancer 2000 8:175-179.
- Mattes, R. D., Engelman, K., Shaw, L. M., and Elsohly, M. A. Cannabinoids and appetite stimulation. Pharmacol. Biochem. Behav. 1994 49:187-195.
- Foltin, R. W., Fischman, M. W., Byrne, M. F. Effects of smoked cannabis on food intake and body weight of humans living in a residential laboratory. Appetite 1988 11:1-14.
- Plasse, T. F., Gorter, R. W., Krasnow, S. H., Lane, M. et al. Recent clinical experience with dronabinol. Pharmacol. Biochem. Behav. 1991 40:695-700.
- Nelson, K., Walsh, D., Deeter, P., and Sheehan, F. A phase II study of delta-9-tetrahydrocannabinol for appetite stimulation in cancer-associated anorexia. J. Palliat. Care 1994 10:14-18.
- Abrams, D. I., Couey, P., Shade, S. B., Kelly, M. E. et al. Cannabinoid-opioid interaction in chronic pain. Clin. Pharmacol. Ther. 2011 90:844-851.
- Ware, M. A., Wang, T., Shapiro, S., Robinson, A. et al. Smoked cannabis for chronic neuropathic pain: a randomized controlled trial. CMAJ 2010 182:E694-E701.
- Malfitano, A. M., Ciaglia, E., Gangemi, G., Gazzerro, P. et al. Update on the endocannabinoid system as an anticancer target. Expert. Opin. Ther. Targets 2011 15:297-308.
- Grimaldi, C. and Capasso, A. The endocannabinoid system in the cancer therapy; an overview. Curr. Med. Chem. 2011 18:1575-1583.
- Katherine A. Scott, Angus G. Dalgleish, and Wai M. Liu. The combination of cannabidiol and delta9-Tetrahydrocannabinol. Mol. Cancer Ther. 2014, 1-13
- Marcu, J. P., Christian, R. T., Lau, D., Zielinski, A. J. et al Cannabidiol enhances the inhibitory effects of delta9tetrahydrocannabinol on human glioblastoma cell proliferation and survival. Mol. Cancer Ther. 2010 9:180-189.
- 13. Guzman, M., Duarte, M. J., Blazquez, C., Ravina, J. et al. A pilot clinical study of delta9-tetrahydrocannabinol in patients with recurrent glioblastoma multiforme. *Br. J. Cancer* 2006 95:197-203.